


Building Instructions

Front of pallet for open to forklift access.

1. Attach 1 x 1 strips between pallet slats.
2. Attach 2 x 4s to each side corner of pallet.
- 3.
4. Attach one 2 x 4 to center of each side.
5. Attach 2 x 4 (narrow side to front) to center of both the front and back. * All posts should run same direction.
6. Attach a 1 x 1 across the inside of the side posts, 15" from top of pallet (20" from floor).
- 7.
8. Attach a 1 x 1 across the inside of the front center posts, also 15" from top of pallet (these rails will be used to hold plywood shelves).
9. Attach a 1 x 4 cut 44" horizontally across the front two posts (width of the pallet), leaving approx. 1" overhang. Front only (you will need this open to slide in plywood shelves). Repeat on sides using 1 x 4 cut 48" long.
10. Run three more boards lined up with ones you've just attached through the center to the back side.
11. Repeat for front middle area, leaving 1" overhang above rail height (this will hide plywood once in place). Front only. Repeat on sides using 1 x 4 cut 48" long.



Final Height- 3 ft.
Food opening height- 9.25"
Bark opening height- 15.25"

Building Instructions part 2



12. Repeat this process in the top section, aligning first slat with bottom of center rail. Space the second board evenly between the first and top edge board.
13. Repeat for the above side slats, must attach on inside of island.
14. Slide 1" plywood cut to 21 x 23 into opening on back side for middle shelf. Repeat on other half.
- 15.
16. Place 1" plywood cut to 44 x 48 on top of island, resting on top of corner posts.
17. Add top and middle edge boards to back.
18. Paint using: Valspar BSC 432981.
19. Cover top with Peel & Stick Vinyl.
20. Add optional casters for easy movement.



Clean Good Looking Displays.



Orchid Inventory too light.



Full Display

